

**AUTHORIZED FEDERAL SUPPLY SERVICE  
INFORMATION TECHNOLOGY SCHEDULE PRICELIST  
GENERAL PURPOSE COMMERCIAL INFORMATION TECHNOLOGY  
EQUIPMENT, SOFTWARE AND SERVICES**

**SIN 132-8 PURCHASE OF EQUIPMENT**

- FSC CLASS 7010 - SYSTEM CONFIGURATION
  - End User Computers/Desktop Computers
  - Other Systems Configuration Equipment, Not Elsewhere Classified
- FSC CLASS 7025 - INPUT/OUTPUT AND STORAGE DEVICES
  - Storage Devices including Magnetic Storage, Magnetic Tape Storage and Optical Disk Storage
  - Other Input/Output and Storage Devices, Not Elsewhere Classified
- FSC Class 5805 - TELEPHONE AND TELEGRAPH EQUIPMENT
  - Telephone Equipment
  - Audio and Video Teleconferencing Equipment
- FSC CLASS 5895 - MISCELLANEOUS COMMUNICATION EQUIPMENT
  - Miscellaneous Communications Equipment
- Installation (FPDS Code N070) for Equipment Offered

NOTE: Installation must be incidental to, in conjunction with and in direct support of the products sold under SIN 132-8 of this contract and cannot be purchased separately. If the construction, alteration or repair is segregable and exceeds \$2,000, then the requirements of the Davis-Bacon Act apply. In applying the Davis-Bacon Act, ordering activities are required to incorporate wage rate determinations into orders, as applicable.

**SIN 132-12 - MAINTENANCE OF EQUIPMENT, REPAIR SERVICE, AND REPAIR PARTS/SPARE PARTS (FPDS Code J070 - Maintenance and Repair Service)(Repair Parts/Spare Parts - See FSC Class for basic equipment)**

- •Third Party Maintenance

**SIN 132-33 - PERPETUAL SOFTWARE LICENSES**

- FSC CLASS 7030 - INFORMATION TECHNOLOGY SOFTWARE
  - Microcomputers
    - Utility Software

**SIN 132-32 - TERM SOFTWARE LICENSES**

- FSC CLASS 7030 - INFORMATION TECHNOLOGY SOFTWARE
  - Microcomputers
    - Utility Software



**Hi Tech Services, Inc.**

12262 Streamvale Circle  
Herndon, VA 20170  
Tel: 703-318-8819  
Fax: 703-783-8536

<http://www.hits-inc.com>

Contract Number:

**GS-35F-0509K**

Period Covered by Contract:

**July 7, 2005 through July 6, 2010**

General Services Administration

Federal Supply Service

Pricelist current through Modification # 5 Dated April 30, 2008

Products and ordering information in this Authorized FSS Information Technology Schedule Pricelist are also available on the GSA Advantage! System. Agencies can browse GSA Advantage! by accessing the Federal Supply Service's Home Page via the Internet at <http://www.fss.gsa.gov/>

**PRICE LIST**

<b>Part Number</b>	<b>Description</b>	<b>GSA Price</b>	<b>Warranty</b>	<b>Energy Star</b>
	New Energy Technologies Products			
NET-NETwrkxMBL-000	NETwrkxMBL Package without Carrier includes: Basic Navigation & Guidance Kit; Basic Network Starter Kit; Basic Wireless Mesh Starter Coverage Kit; NETwrkx™ ; Voice Communications Kit; NETwrkxCAM™ Kit w/Toshiba IK-WB21A; Miscellaneous Equipment, Parts, Paint, etc.; and, Integration & Engineering of Components.	\$104,586	A-A	YES
NET-NETwrkxMBL-001	NETwrkxMBL Package with Carrier includes: GM H3 2007; Basic Navigation & Guidance Kit; Basic Network Starter Kit; Basic Wireless Mesh Starter Coverage Kit; NETwrkx™ ; Voice Communications Kit; NETwrkxCAM™ Kit w/Toshiba IK-WB21A; Miscellaneous Equipment, Parts, Paint, etc.; and, Integration & Engineering of Components.	\$157,252	A-A	YES
NET-ICL-001	AutoDeploy Satellite Communications System includes: One-button, Self-pointing satellite lock-on; Reduced installation time and deployment cost (no special training required); Uninterrupted access to the Internet or Private Networks; Terrestrial-like speed, throughput, and performance with guaranteed QoS; and, Average time to deploy is less than 20 minutes.	\$38,114	A-A	YES
NET-ICL-002	BGAN Explorer 700 Satellite Data Modem includes: Simultaneous voice and data communications over BGAN; Full duplex, single or multi-user, up to 492 kbps; Support for streaming IP at 32, 64, 128, 256 kbps; Seamless global coverage; Standard LAN, USB, Bluetooth and phone/fax ports; Integral DHCP/NAT wireless router; ISDN compatibility; Built-in web server allowing you to manage your phone book, messages and calls; Solar panel direct interface; Detachable lightweight antenna with integral transceiver stand; Compact portable unit, sturdy and reliable construction; Humidity, dust, weather and temperature-resistant design; and, Rapid deployment and takedown.	\$6,276	A-A	YES
NET-ICL-003	Digi Cellular Modem - Sprint PCS Network, includes; 3.1 Mbps Dowload/1.8 Mbps Upload on Rev A; Upgradeable, commercial-grade 3G cellular router; Certified by multiple wireless carriers CDMA EvDO Rev. A or GSM HSDPA/UMTS support; Secure wireless WAN connection over high speed cellular network; Upgradeable via enclosed PCMCIA or PCI Express modules; and, 4-port Ethernet switch, 2 RS-232 serial ports, 1 USB port .	\$1,140	A-A	YES

NET-NAV-000	Basic Navigation & Guidance Kit, includes; Portable GPS satellite navigation unit with built-in antenna; WAAS-enabled, 12 parallel-channel GPS receiver; 4.3" color widescreen (480 x 272 pixels) with touch panel controls; Bluetooth technology for making and receiving hands-free calls with your compatible cell phone; Included FM-TMC receiver delivers up-to-the-minute traffic information; Wireless FM transmitter for hearing audio including MP3s and voice prompts over vehicle stereo system; Secure Digital (SD) card slot; Internal flash memory with preloaded detailed maps of the U.S., Canada, and Puerto Rico; and, Text-to-speech technology lets voice prompts announce road names over the built-in speaker.	\$1,054	A-A	YES
NET-NAV-001	Add-on Navigation & Guidance Kit, includes; Portable GPS satellite navigation unit with built-in antenna; WAAS-enabled, 12 parallel-channel GPS receiver; 4.3" color widescreen (480 x 272 pixels) with touch panel controls; Bluetooth technology for making and receiving hands-free calls with your compatible cell phone; Included FM-TMC receiver delivers up-to-the-minute traffic information; Wireless FM transmitter for hearing audio including MP3s and voice prompts over vehicle stereo system; Secure Digital (SD) card slot; Internal flash memory with preloaded detailed maps of the U.S., Canada, and Puerto Rico; and, Text-to-speech technology lets voice prompts announce road names over the built-in speaker.	\$1,054	A-A	YES
NET-NAV-002	Delorme Street Atlas with USB GPS, includes; Street Level Mapping with Satellite Photo Overlay capability; Provides wide area visibility following a natural disaster when normal landmarks are not visible; and, a Single License.	\$184	A-A	YES
NET-WLAN-000	Basic Network Starter Kit includes; 16 Port Managed Switch with up to 7 WAN Inputs; Rack Mounted Server; Rack Mounted Keyboard/Display/TouchPad Mouse; Multi-radio Wireless Access Point; Uninterruptible Power Supply; and, 5000 Watt Power Inverter.	\$22,932	A-A	YES
NET-WLAN-001	Linksys RV016 - 16 Port VPN Router includes; High-reliability Internet connection-sharing router and 16-port switch for small business; Features up to 7 Internet ports for load balancing and connection redundancy; Securely connects up to 50 remote office or traveling users to your office network via VPN; and, an Advanced SPI firewall protects your PCs from most known Internet attacks.	\$706	A-A	YES
NET-WLAN-002	Dell 1950 PowerEdge Windows Server includes; Video Recording Software; DHCP Server; and, a Windows Application Server.	\$5,241	A-A	YES
NET-WLAN-003	Portable Rack Mount Server Rack 6U includes; Standard 19" EIA rack width with square hole rack rails for mounting; Slide Rack mounted Keyboard/Display/Touchpad Mouse; Unique "plug" style lids penetrate the body with an approximate 1" molded-in protrusion; Recessed heavy-duty twist latches allows these cases to meet most ATA and military specs; and, Automatic ambient pressure equalization valve (MIL-STD-648C).	\$4,343	A-A	YES

NET-WLAN-004	BelAir Networks BA200 Rack Mounted includes; BA200 w/(1) ARM3, (3) BRM3 (No Access/Backhaul Antennas); and, a Rack Mounted in Server Case.	\$11,764	A-A	YES
NET-WLAN-005	Uninterruptible Power Supply includes; Up to 110 minutes backup run time; 865W/1500VA ; 8 Outlets; and, a LCD display with more than 20 status indicators.	\$264	A-A	YES
NET-WLAN-006	AIMS 5000 Watt 12 Volt DC Power Inverter; Model #: PWRINV5K12W includes; Continuous output power: 5000 Watts; Output voltage: 120 Volts ac +/- 10% ; Output wave form: modified sine wave with phase correction • Output frequency: 60 Hz +/- 1 Hz ; AC Output Socket Type: quadruple Type 2 -3 prong; Product size (L x W x H): 21"X 8"X 6.5"; and a Unit Weight of 23 lbs.	\$618	A-A	YES
NET-WMESH-000	Basic Wireless Mesh Starter Coverage Kit includes; Mesh Network Configured to cover approximately 1.5 Square Mile; Coverage is dependent on Terrain and Obstructions; NLOS between Network Nodes; 802.11b/g Client Access; 802.11a Backhaul Connectivity; Mounting Tripods & Anchors; Generators; and, Transport Containers.	\$37,257	A-A	YES
NET-WMESH-001	BelAir Networks BA200 w/ExtendaPod Tripod includes; BA200 w/(1) ARM3, (2) BRM3 (No Access/Backhaul Antennas); and, a 72"-132" ExtendaPod Tripod w/Anchoring assembly.	\$11,843	A-A	YES
NET-WMESH-002	BelAir Networks BA100c w/ExtendaPod Tripod includes; BA200 w/(1) ARM3, (1) BRM3; Mounting Bracket & Antennas; 72"-132" ExtendaPod Tripod w/Anchoring assembly; and, a Pelican 1630 for Storage/Transport.	\$6,770	A-A	YES
NET-WMESH-003	Pelican Transport Case includes; (1) Model 1630 with Wheels; and, a BA100 Transportation Case.	\$334	A-A	YES
NET-WMESH-004	Honda EU1000 Super Quiet Power Supply includes; 1.8 HP Single Cylinder, Overhead Valve, Air Cooled; 120 V, 1000W Rated; Run Time 3.8 Hrs @ rated load, 8.3 Hrs @ 1/4 load; 59 dB@rated load, 53 dB@1/4 load; 17.7" x 9.4" x 15.0"; with 29 lbs. Dry Weight.	\$1,111	A-A	YES
NET-WMESH-005	Roof Top Carrier; Four Tube Roof Top Universal Carrier for Tripods and Antenna Extender Parts; 8" Black PVC with End Cap and removable end fitting; and, Integrated 2.4 & 5 GHz Antenna mounts.	\$1,022	A-A	YES
NET-WMESH-006	Hitch Mounted Compartment for Generator Transport; Requires Class III or Class IV 2" Receiver on Transport Vehicle; Storage for up to 4 Generators; Adds 12.5 Cu. Ft. of Storage Space;; IF VEHICLE has rear mounted Spare Tire (Must be Specified when ordering); and, Clearance from Pin to edge of Rear Mounted Spare Tire must be less than 14".	\$566	A-A	YES
NET-VCOM-000	NETwrkx™ - Voice Communications Kit includes: QTY (2) DECT Wireless Phones w/Digital Messaging; QTY (1) 2 Line VoIP Router; QTY (2) SIP WiFi 2.4 GHz Wireless Phones; QTY (1) Corded Phone with 25 Ft. Handset Cord; QTY (1) Wireless Bridge; and QTY (1) Power & Ethernet Cables.	\$1,891	A-A	YES

NET-VCOM-001	Wireless Network Bridge with One Port - VF2211 includes: Pelican 1200 w/Foam;Four internal horizontally polarized directional antenna; Two internal vertically polarized directional antenna; 200 milliwatt output power amplifier; Separate security configurations between WAN and LAN; Network and Power Connections; Preferred BSSID to force association to a specific metro node; and, Remote management support.	\$311	A-A	YES
NET-VCOM-002	Linksys PAP2 - Telephone Adapter with: Ethernet RJ45 Connection; and Supports Two Lines.	\$106	A-A	YES
NET-VCOM-003	Linksys WIP330 Wi-Fi SIP Phone includes: VoIP Protocols: SIP, SIP v2; Voice Codecs: G.729ab, G.711u, G.711a; Quality of Service: Type of Service (ToS); IP Address Assignment: DHCP, static, PPPoE; Security: 128 bit WEP, 64 bit WEP; Network Protocols: IP, TCP, UDP, ARP, DNS; and, Voice Features with: Comfort noise generation (CNG),; Voice activity detection (VAD),; and Echo cancellation (ECN).	\$443	A-A	YES
NET-VCOM-004	Corded Phone Single Line Caller ID 25 Ft. Handset cord.	\$53	A-A	YES
NET-VCOM-005	Uniden DECT 6.0 Digital Phone system with Answering Machine with: Uniden DECT 6.0 (1.9 Ghz) Cordless Phone Base Station for up to 6 Handsets AND Uniden DECT 6.0 individually addressable Handsets.	\$189	A-A	YES
NET-VCOM-006	Pelican Case set up for Phone System with: Model 1550 with Foam (Voice Communications Kit) Power & Ethernet Connectors.	\$352	A-A	YES
NET-VCOM-007	Pelican Case for Phone Wireless Bridge includes: Model 1200 with Foam ; Power & Ethernet Connectors; One Required for Voice Comm Kit; Wireless Bridge NOT included.	\$153	A-A	YES
NET-ECVC-001	Dell 1950 PowerEdge Linux Server is REQUIRED FOR SOFTPHONE & VIDEO CONFERENCING; Linux OS. Installed PBX with 4 Active Extensions Configured. Required to support Video Conferencing Capability.	\$4,216	A-A	YES
NET-ECVC-002	Laptop SoftPhone (Single License) includes: Laptop or Desktop SoftPhone Application Software; Provides Video Conferencing Capability; and, Includes USB Headset.	\$128	A-A	YES
NET-ECVC-003	Laptop WebCam for Video Conferencing: One Required for each Video Conferencing Application License. Required for Video Conferencing Application. Includes USB Cable.	\$91	A-A	YES
NET-SCDS-000	NETwrkxCAM™ Kit w/Toshiba IK-WB21A with Pan, Tilt, and 22x Optical Zoom. Has Wireless Connectivity to NETwrkxMBL™, NETwrkx™ or NETtrakx™. Capture Video and Audio with add-on microphone. Has a Built-in Web Server. Supports up to 10 Simultaneous Users. Motion Detection Triggered Event. Has DVR Software License.	\$7,235	A-A	YES
NET-SCDS-001	NETwrkxCAM™ w/Toshiba IK-WB21A with Pan, Tilt, and 22x Optical Zoom. Wireless Connectivity to NETwrkxMBL™, NETwrkx™ or NETtrakx™. Capture Video and Audio with add-on microphone. Built-in Web Server; Supports up to 10 Simultaneous Users. Has Motion Detection Triggered Event.	\$2,523	A-A	YES

NET-SCDS-002	DVR Software for 10 IP Cameras (Server Based) includes: Recording and playback for up to 10 IP Cameras; Web Browser Based Client; Motion Detection; and, Multiple Camera Viewing.	\$4,216	A-A	YES
NET-SCDS-003	Thermal Imaging PT Camera- 320 x 240 Resolution- Automatic Image Optimization- Requires No Illumination- 360 Degree Horizontal and 90 Degree Vertical Scanning- Requires NET-SCDS-005 Option for Wireless Network Operation.	\$11,939	A-A	YES
NET-SCDS-004	Wireless Interface for IP Cameras includes: ; Model 1200 Pelican; 200 milliwatt Bridge AP with Remote Management Capability ; Suction Cup Mounting Assembly; Leveling Feet; and, Power & Ethernet Connectors.	\$498	A-A	YES
NET-SCDS-005	Wireless Interface for NTSC Cameras include: Model 1300 Pelican; NTSC to IP Converter; 200 milliwatt Bridge AP with Remote Management Capability ; Suction Cup Mounting Assembly; Leveling Feet; and, Power & Ethernet Connectors.	\$920	A-A	YES
NET-SCDS-006	Indoor/Outdoor IP Day/Night Camera includes: 1280x960 Resolution; Ethernet Connection; PoE Capable; SIP Based Telephony Capable; with, 2 Wide Angle (22mm, 90 Deg., F 2.0) automatic switching lenses.	\$1,965	A-A	YES
NET-LTAC-001	Panasonic Toughbook – 30 includes: Intel® Centrino™ Duo Mobile Technology; Integrated 802.11 a/b/g wireless LAN; 13.3" daylight-readable TFT Active Matrix Color LCD with optional touchscreen; 8.2 lbs., including battery, floppy drive and handle; Moisture and dust-resistant LCD, keyboard and touchpad; and, Sealed port and connector covers.	\$5,987	A-A	YES
NET-LTAC-002	External Monitor and Keyboard for NETwrks™ Laptop with: 17" LCD Flat Screen Monitor; and Microsoft Keyboard.	\$245	A-A	YES
NET-APDC-000	Miscellaneous Equipment, Parts, Paint, etc. includes: Antennas; Cord Grips; Nuts, Bolts, Screws, Fittings; Power Cables; CAT5 Cable; and Data Cable Fittings.	\$3,224	A-A	YES
NET-TRAX-001	EpiCenter Trax4 - On-the-Fly IP Network includes: (4) Wireless Trax Access Points; (4) SIP Phones; (8) 2.4 GHz High Gain Antennas; (8) 5 GHz High Gain Antennas; (1) CF-30 Toughbook w/Wireless and Combo Drive; and (1) Pelican 1630 Travel Case.	\$34,420	A-A	YES
NET-TRAX-002	EpiCenter Trax6 - On-the-Fly IP Network includes: (6) Wireless Trax Access Point; (6) SIP Phone; (12) 2.4 GHz High Gain Antennas; (12) 5 GHz High Gain Antenna; (1) CF-30 Toughbook w/Wireless and Combo Drive; and (2) Pelican 1630 Travel Cases.	\$48,099	A-A	YES
NET-TRAX-003	EpiCenter Trax12 - On-the-Fly IP Network- (12) Wireless Trax Access Points- (12) SIP Phones- (24) 2.4 GHz High Gain Antennas- (24) 5 GHz High Gain Antennas- (1) CF-30 Toughbook w/Wireless and Combo Drive- (3) Pelican 1630 Travel Cases.	\$84,215	A-A	YES
NET-INTG-000	Integration & Engineering of Components to assist in Integration of Hardware/Software, Fabrication of Custom Equipment/Enclosures, and Network setup and configuration.	\$31,001	A-A	YES
<b>THE END</b>				